CONTENTS

NUMBER 1

M. T. Wilson	1	A model for predicting mould growth and subsequent heat generation in bulk stored grain
S. Marín, V. Homedes, V. Sanchis, A. J. Ramos and N. Magan	15	Impact of *Fusarium moniliforme* and *F. proliferatum* colonisation of maize on calorific losses and fumonisin production under different environmental conditions
Jiri Stencl, Lambert Otten, Jana Gotthardova and Pavel Homola	27	Model comparisons of equilibrium moisture content of prunes in the temperature range of 15–45°C
I. Lorini and D. J. Galley	37	Deltamethrin resistance in *Rhyzopertha dominica* (F.) (Coleoptera: Bostrichidae), a pest of stored grain in Brazil
M. Silim Nahdy, S. N. Silim and R. H. Ellis	47	Some aspects of pod characteristics predisposing pigeonpea (*Cajanus cajan* (L.) Millsp.) to infestation by *Callosobruchus chinensis* (L.)
A. Ramputh, A. Teshome, D. J. Bergvinson, C. Nozzolillo and J. T. Arnason	57	Soluble phenolic content as an indicator of sorghum grain resistance to *Sitophilus oryzae* (Coleoptera: Curculionidae)
Charles S. Burks and David W. Hagstrum	65	Rapid cold hardening capacity in five species of coleopteran pests of stored grain
J. A. F. Compton and J. Sherington	77	Rapid assessment methods for stored maize cobs: weight losses due to insect pests
Barry C. Longstaff	89	An experimental and modelling study of the demographic performance of *Rhyzopertha dominica* (F.). I. Development rate
Frank H. Arthur	99	Residual susceptibility of fifth instar *Plodia interpunctella* to cyfluthrin wettable powder
Joel Perez-Mendoza	107	Survey of insecticide resistance in Mexican populations of maize weevil, *Sitophilus zeamais* Motschulsky (Coleoptera: Curculionidae)

NUMBER 2

H. A. Bell and J. P. Edwards	117	The activity of (S)-hydroprene space spray against three stored products pests in a simulated food production environment
Bernard O. Ejechi and Juliana A. Souzey	127	Inhibition of biodeterioration of yam tuber *Dioscorea rotundata* Poir in storage with phenolic extract of *Acalypha hispida* Burm.f. leaves

N. E. S. Lale and H. T. Abdulrahman	135	Evaluation of neem (*Azadirachta indica* A. Juss) seed oil obtained by different methods and neem powder for the management of *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae) in stored cowpea
P. Kaelin, L. Zaugg, A. M. Albertini and F. Gadani	145	Activity of *Bacillus thuringiensis* isolates on *Lasioderma serricorne* (F.) (Coleoptera: Anobiidae)
Frank H. Arthur	159	Evaluation of an encapsulated formulation of cyfluthrin to control *Sitophilus oryzae* (L.) on stored wheat
M. Vázquez-Arista, R. H. Smith, N. A. Martínez-Gallardo and A. Blanco-Labra	167	Enzymatic differences in the digestive system of the adult and larva of *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae)
Alan K. Dowdy	175	Mortality of red flour beetle, *Tribolium castaneum* Coleoptera: Tenebrionidae) exposed to high temperature and diatomaceous earth combinations
J. Perez-Mendoza, D. W. Hagstrum, B. A. Dover, T. L. Hopkins and J. E. Baker	183	Flight response, body weight, and lipid content of *Rhyzopertha dominica* (F.) (Coleoptera: Bostrichidae) as influenced by strain, season and phenotype

NUMBER 3

R. Plarre, K. Lieber, W. Burkholder and J. Phillips	197	Host and host instar preference of *Apanteles carpatus* (Say) (Hymenoptera: Braconidae) a possible parasitoid for biological control of clothes moths (Lepidoptera: Tineidae)
Marcia R. Franzolin, Walderez Gambale, Raul G. Cuero and Benedito Correa	215	Interaction between toxigenic *Aspergillus flavus* Link and mites (*Tyrophagus putrescentiae* Schrank) on maize grains: effects on fungal growth and aflatoxin production
Y. N. Aldryhim and E. E. Adam	225	Efficacy of gamma irradiation against *Sitophilus granarius* (L.) (Coleoptera: Curculionidae)
C. H. Bell and N. Savvidou	233	The toxicity of Vikane (sulfuryl fluoride) to age groups of eggs of the Mediterranean flour moth (*Ephestia kuehniella*)
Da-Wen Sun	249	Comparison and selection of EMC/ERH isotherm equations for rice
P. Trematerra, F. Fontana, M. Mancini and A. Sciarretta	265	Influence of intact and damaged cereal kernels on the behaviour of rice weevil, *Sitophilus oryzae* (L.) (Coleoptera: Curculionidae)
M. T. Gueye and A. Delobel	277	Relative susceptibility of stored pearl millet products and fonio to insect infestation
Mazibur M. Rahman and Gerhard H. Schmidt	285	Effect of *Acorus calamus* (L.) (Araceae) essential oil vapours from various origins on *Callosobruchus phaseoli* (Gyllenhal) (Coleoptera: Bruchidae)
D. Abramson, R. Hulasare, N. D. G. White, D. S. Jayas and R. R. Marquardt	297	Mycotoxin formation in hulless barley during granary storage at 15 and 19% moisture content

Md Mahbub Hasan 307 Mating competitiveness of adult males of *Tribolium* spp (Coleoptera: Tenebrionidae) developing from irradiated pupae

NUMBER 4

Z. L. Liu and S. H. Ho 317 Bioactivity of the essential oil extracted from *Evodia rutaecarpa* Hook f. et Thomas against the grain storage insects, *Sitophilus zeamais* Motsch. and *Tribolium castaneum* (Herbst)

M. E. Wakefield and P. M. Cogan 329 The use of a managed bulk of grain for the evaluation of PC, Pitfall beaker, Insect Probe and WBII Probe traps for monitoring *Sitophilus granarius* during the winter and summer in the UK

M. Silim Nahdy, S. N. Silim and R. H. Ellis 339 Effect of field infestations of immature pigeonpea (*Cajanus cajan* (L.) Millsp.) pods on production of active (flight) and sedentary (flightless) morphs of *Callosobruchus chinensis* (L.)

N. Mashaya 355 Population dynamics of *Liposcelis entomophila* (Enderlein)(Psocoptera: Liposcelidae) in farm tobacco processing buildings

Rodney A. Rulon, Dirk E. Maier and Mike D. Boehlje 369 A post-harvest economic model to evaluate grain chilling as an IPM technology

D. D. Mann, D. S. Jayas, N. D. G. White and W. E. Muir 385 Mortality of adult *Cryptolestes ferrugineus* (Stephens) exposed to changing CO_2 concentrations

C.Th Buchelos and C. G. Athanassiou 397 Unbaited probe traps and grain trier: a comparison of the two methods for sampling Coleoptera in stored barley